

Passport data

Passport descriptors	
Prime name	SAPERAVI
Color of berry skin	NOIR
Variety number VIVC	10708
Country or region of origin of the variety	GEORGIA
Species	VITIS VINIFERA LINNÉ SUBSP. SATIVA (DE CANDOLLE) HEGI

Degree of resistance						
Source code	20046	20058	20068	20069	20071	20072
Accession name						
Alternaria rot (leaf) (<i>Alternaria alternata</i> (Fr.) Keissl)						
Anthraxnose (leaf) (<i>Elsinoë ampelina</i> Shear)		7				
Anthraxnose (bunch) (<i>Elsinoë ampelina</i> Shear)						
Anthraxnose (leaf/shoot) (<i>Elsinoë ampelina</i> Shear)				9	7	
Black rot (leaf) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)						
Black rot (bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)						
Black rot (leaf/bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)						
Black rot (leaf) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)						
Black rot (bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)						
Black rot (leaf/bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)						
Botrytis bunch rot (leaf) (<i>Botrytis cinerea</i> (Botrytis cinerea Pers.))						
Botrytis bunch rot (bunch) (<i>Botrytis cinerea</i> (Botrytis cinerea Pers.))						
Botrytis bunch rot (leaf/bunch) (<i>Botrytis cinerea</i> (Botrytis cinerea Pers.))						
Brenner (leaf) (<i>Pseudopeziza tracheiphila</i> Müll.-Thurg.)						
Cercospora (leaf)						
Crown gall (shoot) (<i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn)						

Downy mildew (leaf) (<i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)						
Downy mildew (bunch) (<i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)						
Downy mildew (leaf/bunch) (<i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)						
Excoriose (leaf/shoot) (<i>Phomopsis viticola</i> (Sacc.) Sacc.)						
Isariopsis leaf blight (leaf) (<i>Isariopsis clavispora</i> (Berk. & Cooke) Sacc.)						
Pierce's Disease (<i>Xylella fastidiosa</i> Wells. et al.: grapevine)						
Powdery mildew (leaf) (<i>Erysiphe necator</i> Schwein.)	1					
Powdery mildew (bunch) (<i>Erysiphe necator</i> Schwein.)						
Powdery mildew (leaf/bunch) (<i>Erysiphe necator</i> Schwein.)			1			3
Ripe rot (leaf) (<i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)						
Ripe rot (bunch) (<i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)						
Ripe rot (leaf/bunch) (<i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)						
White rot (leaf) (<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)						
White rot (bunch) (<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)						
White rot (leaf/bunch) (<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)						