

Passport data

Passport descriptors	
Prime name	VITIS LONGII PRINCE
Color of berry skin	NOIR
Variety number VIVC	13557
Country or region of origin of the variety	UNITED STATES OF AMERICA
Species	VITIS LONGII PRINCE

Degree of resistance				
Source code	20003	20009	20047	20069
Accession name		V.LONGII PRINCE		
Alternaria rot (leaf) (<i>Alternaria alternata</i> (Fr.) Keissl)				
Anthraxnose (leaf) (<i>Elsinoë ampelina</i> Shear)				
Anthraxnose (bunch) (<i>Elsinoë ampelina</i> Shear)				
Anthraxnose (leaf/shoot) (<i>Elsinoë ampelina</i> Shear)				9
Black rot (leaf) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)				
Black rot (bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)				
Black rot (leaf/bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>euvitis</i> Luttr.)				
Black rot (leaf) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)				
Black rot (bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)				
Black rot (leaf/bunch) (<i>Guignardia bidwellii</i> (Ellis) Viala & Ravaz f. <i>muscadinii</i> Luttr.)				
Botrytis bunch rot (leaf) (<i>Botrytis cinerea</i> (Botrytis cinerea Pers.))				
Botrytis bunch rot (bunch) (<i>Botrytis cinerea</i> (Botrytis cinerea Pers.))				
Botrytis bunch rot (leaf/bunch) (<i>Botrytis cinerea</i> (Botrytis cinerea Pers.))				
Brenner (leaf) (<i>Pseudopeziza tracheiphila</i> Müll.-Thurg.)				
Cercospora (leaf)				
Crown gall (shoot) (<i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn)		6		

Downy mildew (leaf) (<i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)				
Downy mildew (bunch) (<i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)				
Downy mildew (leaf/bunch) (<i>Plasmopara viticola</i> (Berk. & M.A. Curtis) Berl. & De Toni)	9			
Excoriose (leaf/shoot) (<i>Phomopsis viticola</i> (Sacc.) Sacc.)				
Isariopsis leaf blight (leaf) (<i>Isariopsis clavispora</i> (Berk. & Cooke) Sacc.)				
Pierce's Disease (<i>Xylella fastidiosa</i> Wells. et al.: grapevine)				
Powdery mildew (leaf) (<i>Erysiphe necator</i> Schwein.)	8			
Powdery mildew (bunch) (<i>Erysiphe necator</i> Schwein.)				
Powdery mildew (leaf/bunch) (<i>Erysiphe necator</i> Schwein.)			7	
Ripe rot (leaf) (<i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)				
Ripe rot (bunch) (<i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)				
Ripe rot (leaf/bunch) (<i>Glomerella cingulata</i> (Stoneman) Spauld. & H. Schrenk)				
White rot (leaf) (<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)				
White rot (bunch) (<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)				
White rot (leaf/bunch) (<i>Coniella diplodiella</i> (Speg.) Petrak & Sydow)				