Passport data

Passport descriptors	
Prime name	ORIGINAL
Color of berry skin	ROSE
Variety number VIVC	14007
Country or region of origin of the variety	UKRAINE
Species	VITIS INTERSPECIFIC CROSSING

Degree of resistance	
Source code	20080
Accession name	
Alternaria rot (leaf) (*Alternaria alternata* (Fr.) Keissl)	
Anthracnose (leaf) (*Elsinoë ampelina* Shear)	
Anthracnose (bunch) (*Elsinoë ampelina* Shear)	
Anthracnose (leaf/shoot) (*Elsinoë ampelina* Shear)	
Black rot (leaf) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *euvitis* Luttr.)	
Black rot (bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *euvitis* Luttr.)	
Black rot (leaf/bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *euvitis* Luttr.)	
Black rot (leaf) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *muscadinii* Luttr.)	
Black rot (bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *muscadinii* Luttr.)	
Black rot (leaf/bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *muscadinii* Luttr.)	
Botrytis bunch rot (leaf) (*Botrytis cinerea* (Botrytis cinerea Pers.))	
Botrytis bunch rot (bunch) (*Botrytis cinerea* (Botrytis cinerea Pers.))	
Botrytis bunch rot (leaf/bunch) (*Botrytis cinerea* (Botrytis cinerea Pers.))	
Brenner (leaf) (*Pseudopeziza tracheiphila* Müll.-Thurg.)	
Cercospora (leaf)	
Crown gall (shoot) (*Agrobacterium tumefaciens* (Smith & Townsend) Conn)	

© Institute for Grapevine Breeding - Geilweilerhof
Julius Kühn-Institut

Downy mildew (leaf) (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni)	
Downy mildew (bunch) (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni)	
Downy mildew (leaf/bunch) (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni)	
Excoriose (leaf/shoot) (*Phomopsis viticola* (Sacc.) Sacc.)	
Isariopsis leaf blight (leaf) (*Isariopsis clavispora* (Berk. & Cooke) Sacc.)	
Pierce's Disease (*Xylella fastidiosa* Wells. et al.: grapevine)	
Powdery mildew (leaf) (*Erysiphe necator* Schwein.)	3
Powdery mildew (bunch) (*Erysiphe necator* Schwein.)	4
Powdery mildew (leaf/bunch) (*Erysiphe necator* Schwein.)	
Ripe rot (leaf) (*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk)	
Ripe rot (bunch) (*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk)	
Ripe rot (leaf/bunch) (*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk)	
White rot (leaf) (*Coniella diplodiella* (Speg.) Petrak & Sydow)	
White rot (bunch) (*Coniella diplodiella* (Speg.) Petrak & Sydow)	
White rot (leaf/bunch) (*Coniella diplodiella* (Speg.) Petrak & Sydow)	

© Institute for Grapevine Breeding - Geilweilerhof
Julius Kühn-Institut