Passport data

Passport descriptors	
Prime name	CARLOS
Color of berry skin	BLANC
Variety number VIVC	2105
Country or region of origin of the variety	UNITED STATES OF AMERICA
Species	MUSCADINIA INTERSPECIFIC CROSSING

Degree of resistance				
Source code	20010	20034	20065	20077
Accession name				
Alternaria rot (leaf) (*Alternaria alternata* (Fr.) Keissl)				
Anthracnose (leaf) (*Elsinoë ampelina* Shear)				
Anthracnose (bunch) (*Elsinoë ampelina* Shear)				
Anthracnose (leaf/shoot) (*Elsinoë ampelina* Shear)				
Black rot (leaf) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *euvitis* Luttr.)			9	
Black rot (bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *euvitis* Luttr.)				
Black rot (leaf/bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *euvitis* Luttr.)				
Black rot (leaf) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *muscadinii* Luttr.)			2	
Black rot (bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *muscadinii* Luttr.)				
Black rot (leaf/bunch) (*Guignardia bidwellii* (Ellis) Viala & Ravaz f. *muscadinii* Luttr.)				
Botrytis bunch rot (leaf) (*Botrytis cinerea* (Botrytis cinerea Pers.))				
Botrytis bunch rot (bunch) (*Botrytis cinerea* (Botrytis cinerea Pers.))				
Botrytis bunch rot (leaf/bunch) (*Botrytis cinerea* (Botrytis cinerea Pers.))				
Brenner (leaf) (*Pseudopeziza tracheiphila* Müll.-Thurg.)				
Cercospora (leaf)				
Crown gall (shoot) (*Agrobacterium tumefaciens* (Smith & Townsend) Conn)				

© Institute for Grapevine Breeding - Geilweilerhof
Julius Kühn-Institut

Downy mildew (leaf) (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni)		9		
Downy mildew (bunch) (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni)				
Downy mildew (leaf/bunch) (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni)				
Excoriose (leaf/shoot) (*Phomopsis viticola* (Sacc.) Sacc.)				
Isariopsis leaf blight (leaf) (*Isariopsis clavispora* (Berk. & Cooke) Sacc.)				
Pierce's Disease (*Xylella fastidiosa* Wells. et al.: grapevine)				9
Powdery mildew (leaf) (*Erysiphe necator* Schwein.)				
Powdery mildew (bunch) (*Erysiphe necator* Schwein.)				
Powdery mildew (leaf/bunch) (*Erysiphe necator* Schwein.)				
Ripe rot (leaf) (*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk)				
Ripe rot (bunch) (*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk)	1			
Ripe rot (leaf/bunch) (*Glomerella cingulata* (Stoneman) Spauld. & H. Schrenk)				
White rot (leaf) (*Coniella diplodiella* (Speg.) Petrak & Sydow)				
White rot (bunch) (*Coniella diplodiella* (Speg.) Petrak & Sydow)				
White rot (leaf/bunch) (*Coniella diplodiella* (Speg.) Petrak & Sydow)				

© Institute for Grapevine Breeding - Geilweilerhof
Julius Kühn-Institut